Art Unit: 2614

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

- 2. Authorization for this examiner's amendment was given in a telephone interview with Mr. Minjae Kang on 12/16/10.
- 3. Claims 1, 33, 39-41, 73, 79-80, and 82-86 have been amended as follows:
- 1. (Currently Amended) A method for providing a conference call, comprising:
 - creating, by a subscriber user on a user terminal, a conference call event in a calendar application;
 - automatically configuring a conference call based on the conference call event;
 - identifying, without user intervention, participant users associated with the conference call event;

notifying the subscriber user that the conference call has been configured; contacting the participant users at the time and date of the conference call event;

Art Unit: 2614

Page 3

providing the participant users with one or more options for declining the conference call, the one or more options including an option for declining participant users to specify a period of time to delay the conference call, wherein the declining participant users are contacted again for the conference call after the specified period of time expires;

receiving responses from the participant users accepting or declining the conference call;

establishing the conference call among the accepting participant users and the subscriber user based on the received responses; [[and]] receiving, from the declining participant users, selections of one or more of the options for declining the conference call;

recording audio information associated with the subscriber user and the

participant users' participation during the conference call;

converting at least some of the audio information to text information; and recording the text information in a transcript reflecting a textual temporal based representation of communications that have taken place between the users during the conference call.

- 33. (Currently Amended) A method for providing a conference call performed by a server, the method comprising:
 - creating, by a subscriber user on a user terminal, a conference call event in a calendar application;

Art Unit: 2614

automatically configuring the conference call based on the conference call event;

identifying, without user intervention, the participant users associated with the conference call event;

collecting contact information for the participant users;

providing a message including the contact information to a conference server that is configured to instruct a bridge to establish the conference call by calling the participant users using the contact information included in the message;

notifying the subscriber user that the conference call has been configured; contacting each of the participant users; providing the participant users with one or more options for declining the conference call, the one or more options including an option for declining participant users to specify a period of time to delay the conference call, wherein the declining participant users are contacted again for the conference call after the specified period of time expires;

- receiving, from a participant user that declines the conference call, a selection of one or more of the options for declining the conference call; [[and]]
- receiving a response message from the conference server including information associated with the conference call and at least one of the participant users;

Art Unit: 2614

Page 5

recording audio information associated with the subscriber user and the

participant users' participation during the conference call;

converting at least some of the audio information to text information; and recording the text information in a transcript reflecting a textual temporal based representation of communications that have taken place between the users during the conference call.

- 39. (Currently Amended) A method for participating in a conference call automatically established by at least one or more communication entity, the method comprising:
 - creating, by a subscriber user on a user terminal, a conference call event in a calendar application;
 - automatically scheduling a conference call at a predetermined time using the calendar application, wherein scheduling includes identifying, without user intervention, participant users that are to participate in the conference call;
 - receiving, prior to the predetermined time, an indication that a conference call has been configured in accordance with the scheduled conference call;
 - providing the participant users with one or more options for declining the conference call, the one or more options including an option for declining participant users to specify a period of time to delay the conference call, wherein the declining participant users are

Art Unit: 2614

Page 6

contacted again for the conference call after the specified period of time expires;

receiving, after the predetermined time, an indication that at least one participant user has declined to join the conference call, and at least one selection of one or more of the options for declining the conference call; [[and]]

during the conference call, receiving an indication that another participant user has ended communications with the conference call when that participant user terminates a connection with a bridge that establishes the conference call in accordance with instructions provided by a server that executes the calendar application;

participant users' participation during the conference call;

converting at least some of the audio information to text information; and recording the text information in a transcript reflecting a textual temporal based representation of communications that have taken place between the users during the conference call.

40. (Currently Amended) A method for providing a conference call, comprising:

receiving a message from a first server including instructions for

establishing a conference call between participant users and a

subscriber user that previously created a conference call event in a

Art Unit: 2614

calendar application on a second server, wherein the second server automatically initiates configuration of the conference call by providing to the first server contact information for the participant users and the message includes the contact information;

- calling the participant users using the contact information included in the message;
- providing the participant users with one or more options for declining the conference call, the one or more options including an option for declining participant users to specify a period of time to delay the conference call, wherein the declining participant users are contacted again for the conference call after the specified period of time expires;
- receiving responses from the participant users, wherein the responses reflect whether the participant users have answered, accepted, not answered, or declined to accept the conference call, at least one of the responses including a selection of one of the options for declining the conference call; [[and]]
- establishing a conference call between the participant users based on the response received from the participant users;
- recording audio information associated with the subscriber user and the

 participant users' participation during the conference call;

 converting at least some of the audio information to text information; and

a processor;

Art Unit: 2614

Page 8

based representation of communications that have taken place

between the users during the conference call.

41. (Currently Amended) A system for providing a conference call, comprising:

means for creating, by a subscriber user on a user terminal, a conference call event in a calendar application;

means for automatically configuring a conference call based on the conference call event;

means for identifying, without user intervention, participant users associated with the conference call event;

means for notifying the subscriber user that the conference call has been configured;

means for contacting the participant users at the time and date of the conference call event;

means for providing the participant users with one or more options for declining the conference call, the one or more options including an option for declining participant users to specify a period of time to delay the conference call, wherein the declining participant users are contacted again for the conference call after the specified period of time expires;

Art Unit: 2614

means for receiving responses from the participant users accepting or declining the conference call;

Page 9

means for establishing the conference call among the accepting participant users and the subscriber user based on the received responses; [[and]]

means for receiving, from the declining participant users, selections of one or more of the options for declining the conference call;

means for recording audio information associated with the subscriber user

and the participant users' participation during the conference call;

means for converting at least some of the audio information to text

information; and

means for recording the text information in a transcript reflecting a textual

temporal based representation of communications that have taken

place between the users during the conference call,

wherein at least one of the means runs on the processor.

73. (Currently Amended) A server for providing a conference call, comprising: a processor;

means for creating, by a subscriber user on a user terminal, a conference call event in a calendar application;

means for automatically configuring a conference call based on the conference call event:

Art Unit: 2614

means for identifying, without user intervention, the participant users associated with the conference call event;

Page 10

means for collecting contact information for the participant users;

means for providing a message including the contact information to a conference server that is configured to instruct a bridge to establish the conference call by calling the participant users using the contact information included in the message;

means for notifying the subscriber user that the conference call has been configured;

means for contacting each of the participant users;

means for providing the participant users with one or more options for declining the conference call, the one or more options including an option for declining participant users to specify a period of time to delay the conference call, wherein the declining participant users are contacted again for the conference call after the specified period of time expires;

means receiving, from a participant user that declines the conference call, a selection of one or more of the options for declining the conference call:[[, and]]

means for receiving a response message from the conference server including information associated with the conference call and at least one of the participant users;

Art Unit: 2614

means for recording audio information associated with the subscriber user

and the participant users' participation during the conference call;

means for converting at least some of the audio information to text

information; and

Page 11

means for recording the text information in a transcript reflecting a textual

temporal based representation of communications that have taken

place between the users during the conference call,

wherein at least one of the means runs on the processor.

79. (Currently Amended) A system for participating in a conference call automatically established by at least one communication entity, the system comprising:

a processor for executing a program;

means for creating, by a subscriber user on a user terminal, a conference call event in a calendar application;

means for automatically scheduling a conference call for a predetermined date and time using a calendar application, wherein the means for scheduling identifies, without user intervention, participant users that are to participate in the conference call;

means for receiving, on the predetermined date and prior to the predetermined time, an indication that a conference call has been configured in accordance with the scheduled conference call;

Art Unit: 2614

means for providing the participant users with one or more options for declining the conference call, the one or more options including an option for declining participant users to specify a period of time to delay the conference call, wherein the declining participant users are contacted again for the conference call after the specified period of time expires;

means for receiving a indication that at least one participant user has

declined to join the conference call, and at least one selection of
one or more of the options for declining the conference call; [[and]]
means for receiving, during the conference call, an indication that another
participant user has ended communications with the conference
call when that participant user terminates a connection with a
bridge that establishes the conference call in accordance with
instructions provided by a server that executes the calendar
application;

means for recording audio information associated with the subscriber user

and the participant users' participation during the conference call;

means for converting at least some of the audio information to text

information; and

means for recording the text information in a transcript reflecting a textual

temporal based representation of communications that have taken

place between the users during the conference call.

Art Unit: 2614

80. (Currently Amended) A conference bridge for providing a conference call,

comprising:

a processor;

means for receiving a message from a first server including instructions for establishing a conference call between participant users and a subscriber user that previously created in a calendar application on a second server, wherein the second server automatically initiates configuration of the conference call by providing to the first server contact information for the participant users and the message includes the contact information;

means for calling the participant users using the contact information included in the message;

means for providing the participant users with one or more options for declining the conference call, the one or more options including an option for declining participant users to specify a period of time to delay the conference call, wherein the declining participant users are contacted again for the conference call after the specified period of time expires;

means for receiving responses from the participant users, wherein the responses reflect whether the participant users have answered, accepted, not answered, or declined to accept the conference call,

Art Unit: 2614

at least one of the responses including a selection of one of the options for declining the conference call; [[and]]

Page 14

means for establishing a conference call between the participant users based on the received responses;

means for recording audio information associated with the subscriber user

and the participant users' participation during the conference call;

means for converting at least some of the audio information to text

information; and

means for recording the text information in a transcript reflecting a textual

temporal based representation of communications that have taken

place between the users during the conference call,

wherein at least one of the means runs on the processor.

82. (Currently Amended) A secondary storage device or a memory including instructions for performing, when executed by a processor, a method for providing a conference call, comprising:

creating, by a subscriber user on a user terminal, a conference call event in a calendar application;

automatically configuring a conference call based on the conference call event;

Art Unit: 2614

identifying, without user intervention, participant users associated with the conference call event;

Page 15

notifying the subscriber user that the conference call has been configured; contacting the participant users at the time and date of the conference call event:

- providing the participant users with one or more options for declining the conference call, the one or more options including an option for declining participant users to specify a period of time to delay the conference call, wherein the declining participant users are contacted again for the conference call after the specified period of time expires;
- receiving responses from the participant users accepting or declining the conference call;
- establishing the conference call among the participant users and the subscriber user based on the received responses; [[and]]
- receiving, from the declining participant users, selections of one or more of the options for declining the conference call;
- recording audio information associated with the subscriber user and the participant users' participation during the conference call; converting at least some of the audio information to text information; and

Art Unit: 2614

based representation of communications that have taken place between the users during the conference call.

Page 16

83. (Currently Amended) A secondary storage device or a memory including instructions for performing, when executed by a processor, a method for providing a conference call comprising:

creating, by a subscriber user on a user terminal, a conference call event in a calendar application;

automatically configuring a conference call based on the conference call event;

identifying, without user intervention, the participant users associated with the conference call event;

collecting contact information for the participant users;

providing a message including the contact information to a conference server that is configured to instruct a bridge to establish the conference call by calling the participant users using the contact information included in the message;

notifying the subscriber user that the conference call has been configured; contacting the participant users;

providing the participant users with one or more options for declining the conference call, the one or more options including an option for

Art Unit: 2614

declining participant users to specify a period of time to delay the conference call,

Page 17

wherein the declining participant users are contacted again for the conference call after the specified period of time expires; receiving, from a participant user that declines the conference call, a selection of one or more of the options for declining the conference

call;[[, and]]

receiving a response message from the conference server including information associated with the conference call and at least one of the participant users;

participant users' participation during the conference call;

converting at least some of the audio information to text information; and recording the text information in a transcript reflecting a textual temporal based representation of communications that have taken place between the users during the conference call.

84. (Currently Amended) A secondary storage device or a memory including instructions for performing, when executed by a processor, a method for participating in a conference call automatically established by at least one communication entity, the method comprising:

Art Unit: 2614

creating, by a subscriber user on a user terminal, a conference call event in a calendar application;

- automatically scheduling a conference call at a predetermined time using the calendar application, wherein scheduling includes identifying, without user intervention, participant users that are to participate in the conference call;
- receiving, prior to the predetermined time, an indication that a conference call has been configured in accordance with the scheduled conference call;
- providing the participant users with one or more options for declining the conference call, the one or more options including an option for declining participant users to specify a period of time to delay the conference call, wherein the declining participant users are contacted again for the conference call after the specified period of time expires;
- receiving, after the predetermined time, an indication that at least one participant user has declined to join the conference call, and at least one selection of one or more of the options for declining the conference call;

Art Unit: 2614

during the conference call, receiving an indication that another participant user has ended communications with the conference call when that participant user terminates a connection with a bridge that establishes the conference call in accordance with instructions

provided by a server that executes the calendar application;

Page 19

recording audio information associated with the subscriber user and the

participant users' participation during the conference call;

converting at least some of the audio information to text information; and recording the text information in a transcript reflecting a textual temporal based representation of communications that have taken place between the users during the conference call.

85. (Currently Amended) A secondary storage device or a memory including instructions for performing, when executed by a processor, a method for providing a conference call, including:

receiving a message from a first server including instructions for
establishing a conference call between participant users and a
subscriber user that previously created a conference call event in a
calendar application on a second server, wherein the second server
automatically initiates configuration of the conference call by
providing to the first server contact information for the participant
users and the message includes the contact information;

Art Unit: 2614

calling the participant users using the contact information included in the message;

providing the participant users with one or more options for declining the conference call, the one or more options including an option for declining participant users to specify a period of time to delay the conference call, wherein the declining participant users are contacted again for the conference call after the specified period of time expires;

receiving responses from the participant users, wherein the responses reflect whether the participant users have answered, accepted, not answered, or declined to accept the conference call, at least one of the responses including a selection of one of the options for declining the conference call; [[and]]

establishing a conference call between the participant users based on the response received from the participant users; and

participant users' participation during the conference call;

converting at least some of the audio information to text information; and recording the text information in a transcript reflecting a textual temporal based representation of communications that have taken place between the users during the conference call.

Art Unit: 2614

86. (Currently Amended) A method for providing a conference call, comprising:

creating, by a subscriber user on a user terminal, a conference call event in a calendar application;

automatically configuring the conference call based on the conference call event;

identifying participant users identified in the request;

notifying the subscriber user that the conference call has been configured; contacting the participant users;

providing the participant users with one or more options for declining the conference call, the one or more options including an option for declining participant users to specify a period of time to delay the conference call, wherein the declining participant users are contacted again for the conference call after the specified period of time expires;

receiving responses from the participant users accepting or declining the call;

establishing a conference call among the accepting participant users and the subscriber user based on the received responses; [[and]]

receiving, from the declining participant users, selections of one or more of the options for declining the conference call;

recording audio information associated with the subscriber user and the participant users' participation during the conference call;

Art Unit: 2614

converting at least some of the audio information to text information; and recording the text information in a transcript reflecting a textual temporal based representation of communications that have taken place between the users during the conference call,

wherein at least one of the contacting, receiving, and establishing steps is performed without user intervention.

4. Claims 18 and 58 canceled.

/Quynh H Nguyen/ Primary Examiner, Art Unit 2614